

Codebook to dataset "COVSM-public_all_waves.csv"

Background:

The dataset "COVSM-public_all_waves.csv" contains social and health behavioral indicators as reported in <https://covid19.ctu.unibe.ch/>. Additionally, variables about COVID-app usage, vaccination uptake, quarantine, trust and media use are included.

A description of the study design is given in <https://doi.org/10.1371/journal.pone.0242129> and in <https://doi.org/10.1371/journal.pone.0256253>.

Authors:

Marc Höglinger, Winterthur Institute of Health Economics, Zurich University of Applied Sciences, Winterthur, Switzerland

André Moser, CTU Bern, University of Bern, Bern, Switzerland

New upload:

The previous BORIS data upload contained survey waves up to wave 19. 5 new survey waves were added to the COVID-19 Social Monitor longitudinal online panel. This new uploaded file contains all 24 waves.

Date:

August 16, 2023

id
ID

type: numeric (int)
range: [10001,13414] units: 1
unique values: 3,381 missing .: 0/45,193
mean: 11435.5
std. dev: 943.92
percentiles: 10% 25% 50% 75% 90%
10245 10641 11329 12149 12871

wave
Wave

type: numeric (byte)
range: [1,24] units: 1
unique values: 24 missing .: 0/45,193
mean: 12.9482
std. dev: 6.74752
percentiles: 10% 25% 50% 75% 90%
3 7 13 19 22

calweek Calendar
week 2020/21/22

type: numeric (byte)
label: calweek_en
range: [1,24] units: 1
unique values: 24 missing .: 0/45,193
examples: 6 22
12 51
15 13
20 49

firstwave Resps.
first survey wave

type: numeric (byte)
range: [1,12] units: 1
unique values: 2 missing .: 0/45,193
tabulation: Freq. Value
33,058 1
12,135 12

gender
Gender

type: numeric (byte)
label: gender_en
range: [1,2] units: 1
unique values: 2 missing .: 0/45,193

```
tabulation: Freq. Numeric Label
            23,364      1 male
            21,829      2 female
```

agegr
Age

```
type: numeric (byte)
label: agegr_en

range: [1,5]          units: 1
unique values: 5      missing .: 0/45,193
```

```
tabulation: Freq. Numeric Label
            8,326      1 18 to 29 years
            6,650      2 30 to 39 years
            8,875      3 40 to 49 years
            10,986     4 50 to 59 years
            10,356     5 60 to 79 years
```

lregion
Language region

```
type: numeric (byte)
label: lregion_en

range: [1,3]          units: 1
unique values: 3      missing .: 0/45,193
```

```
tabulation: Freq. Numeric Label
            29,366     1 German
            9,261      2 French
            6,566      3 Italian
```

urbrural
Place of residence

```
type: numeric (byte)
label: urbrural_en

range: [1,2]          units: 1
unique values: 2      missing .: 0/45,193
```

```
tabulation: Freq. Numeric Label
            36,576     1 Urban
            8,617      2 Rural
```

edugr
Completed education

```
type: numeric (byte)
label: edugr_en

range: [1,3]          units: 1
unique values: 3      missing .: 11/45,193
```

```
tabulation: Freq. Numeric Label
            2,060      1 Compulsory schooling
            29,796     2 Secondary degree II
            13,326     3 Tertiary degree
             11        .
```

hhincomegr
Household income

type: numeric (byte)
label: hhincomegr_en
range: [1,4] units: 1
unique values: 4 missing .: 0/45,193

tabulation:	Freq.	Numeric	Label
	10,308	1	< 5'000 Fr.
	20,710	2	5'000-9'999 Fr.
	9,023	3	10'000+ Fr.
	5,152	4	NA

livalone
Living alone

type: numeric (byte)
label: livalone_en
range: [1,2] units: 1
unique values: 2 missing .: 0/45,193

tabulation:	Freq.	Numeric	Label
	10,048	1	living alone
	35,145	2	not living alone

migration
Migration state

type: numeric (byte)
label: migration_en
range: [1,2] units: 1
unique values: 2 missing .: 51/45,193

tabulation:	Freq.	Numeric	Label
	39,197	1	Swiss-born
	5,945	2	foreign-born
	51	.	

ncd
condition (NCD) Chronic

type: numeric (byte)
label: ncd_en
range: [1,2] units: 1
unique values: 2 missing .: 27/45,193

tabulation:	Freq.	Numeric	Label
	25,832	1	no pre-existing condition
	19,334	2	pre-existing condition
	27	.	

psychdiag
Psychological diagnosis

type: numeric (byte)
label: psychdiag_en
range: [1,2] units: 1
unique values: 2 missing .: 27/45,193

tabulation:	Freq.	Numeric	Label
	40,169	1	no psych. diagnosis
	4,997	2	psych. diagnosis

 child
 Child(ren) in Household

type: numeric (byte)
 label: child_en
 range: [1,2] units: 1
 unique values: 2 missing .: 0/45,193

tabulation:	Freq.	Numeric	Label
	11,001	1	Child(ren)
	34,192	2	no Children

 working
 (w/o unemployed)

Working

type: numeric (byte)
 label: working_en
 range: [1,2] units: 1
 unique values: 2 missing .: 0/45,193

tabulation:	Freq.	Numeric	Label
	31,642	1	working
	13,551	2	not working

 unemployed
 Unemployed

type: numeric (byte)
 range: [0,1] units: 1
 unique values: 2 missing .: 9/45,193
 unique mv codes: 3 missing .*: 12,562/45,193

tabulation:	Freq.	Value
	31,642	0
	980	1
	9	.
	12,372	.c
	190	.e

 workpop
 (incl. unemployed)

Working population

type: numeric (byte)
 label: workpop_en
 range: [1,2] units: 1
 unique values: 2 missing .: 9/45,193
 unique mv codes: 2 missing .*: 190/45,193

tabulation:	Freq.	Numeric	Label
	12,372	1	not working population
	32,622	2	working population
	9	.	
	190	.e	no clear assignment possible, because reason for this not-working-episode not asked

 selfempl
 self-employed

Salaried vs.

```

type: numeric (byte)
label: selfempl_en

range: [1,2] units: 1
unique values: 2 missing .: 1,117/45,193
unique mv codes: 3 missing .*: 13,333/45,193

```

```

tabulation: Freq. Numeric Label
28,215 1 salaried
2,528 2 self-employed
1,117 .
12 .a
13,321 .c

```

```

-----
branchegr
Line of business
-----

```

```

type: numeric (byte)
label: branchegr_en

range: [1,8] units: 1
unique values: 8 missing .: 11,098/45,193

```

```

tabulation: Freq. Numeric Label
3,882 1 Industry/Production
2,123 2 Construction
3,468 3 Logistics, Trade
4,996 4 Finance, IT, Com., F&E
1,797 5 Hospitality, Culture, Sports
7,106 6 Education, public admin.
5,250 7 Health and social
5,473 8 Other
11,098 .

```

```

-----
homeofficegr Homeoffice
(at the moment)
-----

```

```

type: numeric (byte)
label: homeofficegr_en

range: [1,2] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 2 missing .*: 13,559/45,193

```

```

tabulation: Freq. Numeric Label
18,434 1 no homeoffice
13,200 2 Homeoffice (at least partly)
8 .a
13,551 .c

```

```

-----
rooms Living
space: No. of rooms
-----

```

```

type: numeric (byte)

range: [1,8] units: 1
unique values: 8 missing .: 1,650/45,193

```

```

tabulation: Freq. Value
1,038 1
3,258 2
9,417 3
13,010 4
9,665 5
4,050 6
2,011 7
1,094 8
1,650 .

```

persroom
up to 12 years)

Housing space: rooms per person (1/2

type: numeric (float)
range: [.08333334,8] units: 1.000e-09
unique values: 93 missing .: 1,650/45,193
mean: 2.10359
std. dev: 1.01839
percentiles: 10% 25% 50% 75% 90%
1 1.42857 2 2.5 3

persroom_cat "Housing space:"
"rooms/person"

type: numeric (byte)
label: persroom_cat_en
range: [1,3] units: 1
unique values: 3 missing .: 1,650/45,193
tabulation: Freq. Numeric Label
1,589 1 less than 1
17,937 2 less than 2
24,017 3 2 or more
1,650 .

wb2_good Good
quality of life

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 1 missing .*: 3/45,193
tabulation: Freq. Value
6,402 0
38,788 1
3 .a

wb2_bad Low
quality of life

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 1 missing .*: 3/45,193
tabulation: Freq. Value
44,048 0
1,142 1
3 .a

msl_often Often
felt stressed

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 1 missing .*: 13/45,193

```
tabulation: Freq. Value
            40,148 0
            5,032 1
            13 .a
```

ms2_ind_medhigh
distress (MHI-5) Elevated

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 85/45,193
```

```
tabulation: Freq. Value
            33,782 0
            11,326 1
            85 .
```

ms2_ind_high
distress (MHI-5) Strongly elevated

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 85/45,193
```

```
tabulation: Freq. Value
            41,481 0
            3,627 1
            85 .
```

ms3_anx_red
Anxiety disorders

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 17,717/45,193
```

```
tabulation: Freq. Value
            26,801 0
            675 1
            17,717 .
```

ms3_depr_red
Depressive disorders

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 17,719/45,193
```

```
tabulation: Freq. Value
            26,830 0
            644 1
            17,719 .
```

ph1_good
subjective health Good

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
```


unique mv codes: 1 missing .*: 10/45,193

tabulation: Freq. Value
6,502 0
38,681 1
10 .a

ph2_ind_strong
health problems

Serious somatic

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 1,363/45,193

tabulation: Freq. Value
32,685 0
11,145 1
1,363 .

ph2_1_yes
low back pain

Back or

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 1 missing .*: 44/45,193

tabulation: Freq. Value
27,104 0
18,045 1
44 .a

ph2_2_yes
Lack of energy

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 1 missing .*: 47/45,193

tabulation: Freq. Value
25,163 0
19,983 1
47 .a

ph2_3_yes
pressure in abdomen

Pain,

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 1 missing .*: 51/45,193

tabulation: Freq. Value
36,572 0
8,570 1
51 .a

ph2_4_yes
Diarrhea, constipation

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 1 missing .*: 46/45,193
tabulation: Freq. Value
35,246 0
9,901 1
46 .a
```

ph2_5_yes
Sleeping problems

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 1 missing .*: 45/45,193
tabulation: Freq. Value
24,970 0
20,178 1
45 .a
```

ph2_6_yes Headache
or facial pain

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 1 missing .*: 47/45,193
tabulation: Freq. Value
31,113 0
14,033 1
47 .a
```

ph2_7_yes Heart
palpitation, extrasystole

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 1 missing .*: 46/45,193
tabulation: Freq. Value
40,700 0
4,447 1
46 .a
```

ph2_8_yes Chest
pain or pressure

```
type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 1 missing .*: 52/45,193
tabulation: Freq. Value
41,113 0
4,028 1
52 .a
```

ph2_9_yes
Fever

type: numeric (byte)

range:	[0,1]	units:	1
unique values:	2	missing .:	0/45,193
unique mv codes:	1	missing .*:	57/45,193

tabulation:	Freq.	Value
	43,881	0
	1,255	1
	57	.a

ph2_10_yes
shoulders, neck, arms
Pain in

type: numeric (byte)

range:	[0,1]	units:	1
unique values:	2	missing .:	0/45,193
unique mv codes:	1	missing .*:	49/45,193

tabulation:	Freq.	Value
	27,875	0
	17,269	1
	49	.a

ph2_11_yes
Cough

type: numeric (byte)

range:	[0,1]	units:	1
unique values:	2	missing .:	0/45,193
unique mv codes:	1	missing .*:	53/45,193

tabulation:	Freq.	Value
	37,212	0
	7,928	1
	53	.a

ph2_12_yes
Respiratory problems

type: numeric (byte)

range:	[0,1]	units:	1
unique values:	2	missing .:	0/45,193
unique mv codes:	1	missing .*:	54/45,193

tabulation:	Freq.	Value
	41,068	0
	4,071	1
	54	.a

ss3_often
feeling lonely
Often

type: numeric (byte)

range:	[0,1]	units:	1
unique values:	2	missing .:	0/45,193
unique mv codes:	1	missing .*:	7/45,193

ehl_total_zero
ones (7 days)

No meetings with close

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 13,950/45,193
tabulation: Freq. Value
28,985 0
2,258 1
13,950 .

ehl_friends_65plus
friends (7 days)

65+: Meetings with

type: numeric (byte)
label: ehl_1, but 30 nonmissing values are not labeled
range: [0,100] units: 1
unique values: 30 missing .: 0/45,193
unique mv codes: 4 missing .*: 37,699/45,193
examples: .k
.k
.k
.k

ehl_neighbours_65plus
neighbours (7 days)

65+: Meetings with

type: numeric (byte)
label: ehl_2, but 31 nonmissing values are not labeled
range: [0,100] units: 1
unique values: 31 missing .: 0/45,193
unique mv codes: 4 missing .*: 37,701/45,193
examples: .k
.k
.k
.k

ehl_relatives_65plus
relatives (7 days)

65+: Meetings with

type: numeric (byte)
range: [0,100] units: 1
unique values: 28 missing .: 323/45,193
unique mv codes: 2 missing .*: 37,381/45,193
mean: 2.09828
std. dev: 3.03293
percentiles: 10% 25% 50% 75% 90%
0 0 1 3 5

ehl_total_zero_65plus
ones (7 days)

65+: No meetings with close

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 324/45,193
unique mv codes: 2 missing .*: 37,381/45,193

tabulation: Freq. Value
7,174 0
314 1
324 .
37,381 .k

ss2_happy
with partnership

Happy

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 7,525/45,193
unique mv codes: 3 missing .*: 5,195/45,193

tabulation: Freq. Value
4,290 0
28,183 1
7,525 .
43 .a
5,152 .c

ss2_unhappy
with partnership

Unhappy

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 7,525/45,193
unique mv codes: 3 missing .*: 5,195/45,193

tabulation: Freq. Value
31,487 0
986 1
7,525 .
43 .a
5,152 .c

ssl_satisfied
living in household

Satisfied with co-

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 38/45,193
unique mv codes: 3 missing .*: 10,055/45,193

tabulation: Freq. Value
4,563 0
30,537 1
38 .
37 .a
10,018 .c

ssl_dissatisfied
with co-living

Dissatisfied

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 38/45,193
unique mv codes: 3 missing .*: 10,055/45,193

tabulation: Freq. Value
34,343 0
757 1
38 .

37 .a
10,018 .c

hb7_insufficient
physical activity

Insufficient

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 1 missing .*: 29/45,193

tabulation: Freq. Value
14,251 0
30,913 1
29 .a

hb7_none
Physical inactivity

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 1 missing .*: 29/45,193

tabulation: Freq. Value
37,876 0
7,288 1
29 .a

hb3_6_yes
sports training

Went to

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 1 missing .*: 31/45,193

tabulation: Freq. Value
28,948 0
16,214 1
31 .a

hb9_2_yes
Daily smoking

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 4/45,193
unique mv codes: 2 missing .*: 16,194/45,193

tabulation: Freq. Value
24,214 0
4,781 1
4 .
16,194 .x

hb10_daily
alcohol consumption

Daily

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 2 missing .*: 16,204/45,193

tabulation: Freq. Value
25,829 0
3,160 1
10 .a
16,194 .x

bag1_2_freq Several times daily
console gaming

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 2 missing .*: 10,020/45,193

tabulation: Freq. Value
30,118 0
5,055 1
23 .a
9,997 .x

bag1_3_freq Several times a week
online-gambling

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 2 missing .*: 10,015/45,193

tabulation: Freq. Value
34,398 0
780 1
18 .a
9,997 .x

bag3_1_freq Frequently sleeping
pills/sedatives

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 2 missing .*: 8,512/45,193

tabulation: Freq. Value
35,297 0
1,384 1
7 .a
8,505 .x

hb8_2_mostly Kept
distance to others

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 2 missing .*: 2,058/45,193

tabulation: Freq. Value
8,699 0
34,436 1

32 .a
2,026 .x

hb8_3_mostly
Wore face mask

type: numeric (byte)

range:	[0,1]	units:	1
unique values:	2	missing .:	0/45,193
unique mv codes:	2	missing .*:	2,052/45,193

tabulation:	Freq.	Value
	14,409	0
	28,732	1
	26	.a
	2,026	.x

hb8_4_mostly
domestic visits

Refrained from

type: numeric (byte)

range:	[0,1]	units:	1
unique values:	2	missing .:	0/45,193
unique mv codes:	2	missing .*:	2,057/45,193

tabulation:	Freq.	Value
	22,809	0
	20,327	1
	31	.a
	2,026	.x

hb8_5_mostly
public transport

Avoided

type: numeric (byte)

range:	[0,1]	units:	1
unique values:	2	missing .:	0/45,193
unique mv codes:	2	missing .*:	2,057/45,193

tabulation:	Freq.	Value
	15,201	0
	27,935	1
	31	.a
	2,026	.x

hb8_7_mostly
Stayed at home

type: numeric (byte)

range:	[0,1]	units:	1
unique values:	2	missing .:	0/45,193
unique mv codes:	2	missing .*:	2,054/45,193

tabulation:	Freq.	Value
	23,575	0
	19,564	1
	28	.a
	2,026	.x

hb8_8_mostly
meetings with elderly

Cancelled

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 2 missing .*: 2,075/45,193

tabulation: Freq. Value
23,397 0
19,721 1
49 .a
2,026 .x

hb8_9_mostly
hands with soap

Washed

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 2 missing .*: 5,132/45,193

tabulation: Freq. Value
3,761 0
36,300 1
29 .a
5,103 .x

hsl_1_anyuse
service (7 days)

Use: Any health

type: numeric (float)
range: [0,1] units: .1
unique values: 3 missing .: 0/45,193
unique mv codes: 1 missing .*: 14/45,193

tabulation: Freq. Value
35,141 0
316 .5
9,722 1
14 .a

hsl_2_7d
Use: Hospital

type: numeric (float)
range: [0,1] units: .1
unique values: 3 missing .: 1/45,193
unique mv codes: 2 missing .*: 13/45,193

tabulation: Freq. Value
44,120 0
38 .5
1,021 1
1 .
13 .a

hsl_3_7d
General Practitioner

Use:

type: numeric (float)
range: [0,1] units: .1
unique values: 3 missing .: 1/45,193

unique mv codes: 2

missing .*: 13/45,193

tabulation:	Freq.	Value
	42,107	0
	118	.5
	2,954	1
	1	.
	13	.a

hs1_4_7d
Use: Gynecologist

type: numeric (float)

range:	[0,1]	units:	.1
unique values:	3	missing .:	1/45,193
unique mv codes:	2	missing .*:	13/45,193

tabulation:	Freq.	Value
	44,558	0
	18	.5
	603	1
	1	.
	13	.a

hs1_5_7d
Psychologist/ Psychiatrist

Use:

type: numeric (float)

range:	[0,1]	units:	.1
unique values:	3	missing .:	1/45,193
unique mv codes:	2	missing .*:	13/45,193

tabulation:	Freq.	Value
	44,241	0
	27	.5
	911	1
	1	.
	13	.a

hs1_6_7d
Ophthalmologist

Use:

type: numeric (float)

range:	[0,1]	units:	.1
unique values:	3	missing .:	1/45,193
unique mv codes:	2	missing .*:	13/45,193

tabulation:	Freq.	Value
	44,595	0
	9	.5
	575	1
	1	.
	13	.a

hs1_7_7d
Use: Dentist

type: numeric (float)

range:	[0,1]	units:	.1
unique values:	3	missing .:	1/45,193
unique mv codes:	2	missing .*:	13/45,193

tabulation:	Freq.	Value
	43,664	0

30 .5
1,485 1
1 .
13 .a

hs1_8_7d
Physiotherapist/ Rehab

Use:

type: numeric (float)
range: [0,1] units: .1
unique values: 3 missing .: 1/45,193
unique mv codes: 2 missing .*: 13/45,193
tabulation: Freq. Value
42,599 0
47 .5
2,533 1
1 .
13 .a

hs1_9_7d
Use: Other

type: numeric (float)
range: [0,1] units: .1
unique values: 3 missing .: 1/45,193
unique mv codes: 2 missing .*: 13/45,193
tabulation: Freq. Value
43,728 0
90 .5
1,361 1
1 .
13 .a

hs1_10_7d
Dermatologist/ ENT/ Rheuma

Use:

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 2,026/45,193
unique mv codes: 2 missing .*: 13/45,193
tabulation: Freq. Value
42,641 0
513 1
2,026 .
13 .a

hs1_11_7d
Alternative medicine

Use:

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 2,026/45,193
unique mv codes: 2 missing .*: 13/45,193
tabulation: Freq. Value
42,189 0
965 1
2,026 .
13 .a

hs2_1_anynonuse
service (7 days)

Non-use: Any health

type: numeric (float)
range: [0,1] units: .1
unique values: 3 missing .: 0/45,193
tabulation: Freq. Value
43,613 0
429 .5
1,151 1

hs2_2_7d
Non-use: Hospital

type: numeric (float)
range: [0,1] units: .1
unique values: 3 missing .: 0/45,193
tabulation: Freq. Value
44,953 0
59 .5
181 1

hs2_3_7d
General Practitioner

Non-use:

type: numeric (float)
range: [0,1] units: .1
unique values: 3 missing .: 0/45,193
tabulation: Freq. Value
44,901 0
62 .5
230 1

hs2_4_7d
use: Gynecologist

Non-

type: numeric (float)
range: [0,1] units: .1
unique values: 3 missing .: 0/45,193
tabulation: Freq. Value
45,064 0
37 .5
92 1

hs2_5_7d
Psychologist/ Psychiatrist

Non-use:

type: numeric (float)
range: [0,1] units: .1
unique values: 3 missing .: 0/45,193
tabulation: Freq. Value
45,092 0
27 .5
74 1

hs2_6_7d Non-use:
Ophthalmologist

type: numeric (float)
range: [0,1] units: .1
unique values: 3 missing .: 0/45,193

tabulation: Freq. Value
45,073 0
39 .5
81 1

hs2_7_7d
Non-use: Dentist

type: numeric (float)
range: [0,1] units: .1
unique values: 3 missing .: 0/45,193

tabulation: Freq. Value
44,768 0
142 .5
283 1

hs2_8_7d Non-use:
Physiotherapist/ Rehab

type: numeric (float)
range: [0,1] units: .1
unique values: 3 missing .: 0/45,193

tabulation: Freq. Value
44,879 0
86 .5
228 1

hs2_9_7d
Non-use: Other

type: numeric (float)
range: [0,1] units: .1
unique values: 3 missing .: 0/45,193

tabulation: Freq. Value
44,954 0
87 .5
152 1

hs2_10_7d Non-use:
Dermatologist/ ENT/ Rheuma

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 2,026/45,193

tabulation: Freq. Value
43,102 0
65 1

2,026 .

hs2_11_7d
Alternative medicine

Non-use:

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 2,026/45,193

tabulation:	Freq.	Value
	43,059	0
	108	1
	2,026	.

hs1_use_total
persons (7 days)

Use: Number of health services per 100

type: numeric (int)
range: [0,600] units: 10
unique values: 9 missing .: 14/45,193

tabulation:	Freq.	Value
	34,741	0
	288	50
	7,912	100
	5	150
	1,756	200
	389	300
	76	400
	9	500
	3	600
	14	.

hs2_nonuse_total
persons (7 days)

Non-use: Number of health services per 100

type: numeric (int)
range: [0,500] units: 10
unique values: 10 missing .: 0/45,193

mean: 3.90215
std. dev: 22.7669

percentiles:	10%	25%	50%	75%	90%
	0	0	0	0	0

wc2_always
Exclusively homeoffice

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 2 missing .*: 13,559/45,193

tabulation:	Freq.	Value
	26,850	0
	4,784	1
	8	.a
	13,551	.c

wtlost_pandemic
due to pandemic

Working time lost

```

-----
type: numeric (float)
range: [0,42] units: 1.000e-10
unique values: 565 missing .: 1,133/45,193
unique mv codes: 4 missing .*: 15,849/45,193

mean: .062493
std. dev: .428325

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 .166667

```

```

-----
wtlost_illness Working time lost
due to illness
-----

```

```

type: numeric (float)
range: [0,42] units: 1.000e-09
unique values: 421 missing .: 1,133/45,193
unique mv codes: 4 missing .*: 15,849/45,193

mean: .031718
std. dev: .408372

percentiles: 10% 25% 50% 75% 90%
              0 0 0 0 0

```

```

-----
plost_pandemic Work productivity lost
due to pandemic
-----

```

```

type: numeric (float)
range: [0,42] units: 1.000e-09
unique values: 962 missing .: 2,014/45,193
unique mv codes: 4 missing .*: 15,849/45,193

mean: .212535
std. dev: .470148

percentiles: 10% 25% 50% 75% 90%
              0 0 .1 .3 .65

```

```

-----
plost_illness Work productivity lost
due to illness
-----

```

```

type: numeric (float)
range: [0,35] units: 1.000e-09
unique values: 621 missing .: 6,853/45,193
unique mv codes: 4 missing .*: 13,248/45,193

mean: .0999
std. dev: .354787

percentiles: 10% 25% 50% 75% 90%
              0 0 0 .1 .385542

```

```

-----
wcl_rather Fear
of losing job
-----

```

```

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 2 missing .*: 13,555/45,193

```



```
tabulation: Freq. Value
            29,253 0
            2,385 1
              4 .a
            13,551 .c
```

lc3_satisfied Satisfied with
financial situation

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 2 missing .*: 29,253/45,193

```
tabulation: Freq. Value
            3,028 0
            12,912 1
              5 .a
            29,248 .x
```

lc3_dissatisfied Not satisfied with
financial situation

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 2 missing .*: 29,253/45,193

```
tabulation: Freq. Value
            14,037 0
            1,903 1
              5 .a
            29,248 .x
```

lc4_difficult Not getting along well with
household income

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 2 missing .*: 29,254/45,193

```
tabulation: Freq. Value
            14,321 0
            1,618 1
              6 .a
            29,248 .x
```

lc1_worried Worried about
personal future

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 2 missing .*: 16,198/45,193

```
tabulation: Freq. Value
            25,961 0
            3,034 1
              4 .a
            16,194 .x
```

lc2_worried
in Switzerland

Worried about future

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 2 missing .*: 16,207/45,193

tabulation:	Freq.	Value
	23,086	0
	5,900	1
	13	.a
	16,194	.x

st1_high
general trust

High

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 2 missing .*: 27,724/45,193

tabulation:	Freq.	Value
	7,858	0
	9,611	1
	8	.a
	27,716	.x

st3_high
perceived helpfulness

High

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 2 missing .*: 27,721/45,193

tabulation:	Freq.	Value
	8,261	0
	9,211	1
	5	.a
	27,716	.x

st2_high
perceived fairness

High

type: numeric (byte)
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 2 missing .*: 27,725/45,193

tabulation:	Freq.	Value
	7,343	0
	10,125	1
	9	.a
	27,716	.x

mu3_2_high
public broadcasting

Strong trust in

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 3 missing .*: 23,978/45,193

tabulation:	Freq.	Value
	8,686	0
	12,529	1
	19	.a
	3,333	.e
	20,626	.x

mu3_7_high Strong trust
in government

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 3 missing .*: 23,984/45,193

tabulation:	Freq.	Value
	6,877	0
	14,332	1
	25	.a
	3,333	.e
	20,626	.x

mu3_9_high Strong
trust in science

type: numeric (byte)

range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 3 missing .*: 23,998/45,193

tabulation:	Freq.	Value
	7,187	0
	14,008	1
	39	.a
	3,333	.e
	20,626	.x

val
Vaccinated

type: numeric (byte)
label: val

range: [1,2] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 3 missing .*: 40,317/45,193

tabulation:	Freq.	Numeric	Label
	2,358	1	Ja, ich wurde geimpft.
	2,518	2	Nein, ich wurde bis jetzt noch nicht geimpft.
	17	.a	no answer
	10,529	.g	filter: vaxed, response in prior wave
	29,771	.x	not asked in this wave

va4 Place
of vaccination

type: numeric (byte)
label: va4

```

range: [1,6] units: 1
unique values: 6 missing .: 1/45,193
unique mv codes: 5 missing .*: 42,834/45,193

```

```

tabulation: Freq. Numeric Label
1,144 1 Impfzentrum
807 2 Arztpraxis
75 3 Apotheke
221 4 Spital
34 5 Pflegeheim
77 6 Anderes, und zwar
1 .
2,518 .c filter: not vaccinated
10,529 .g filter: vaxed, response in prior
wave
16 .h filter: item-nonresponse whether
vaxed
29,771 .x not asked in this wave

```

```

-----
va5
Vaccination scheduled
-----

```

```

type: numeric (byte)
label: va5

```

```

range: [1,5] units: 1
unique values: 5 missing .: 1/45,193
unique mv codes: 6 missing .*: 42,675/45,193

```

```

tabulation: Freq. Numeric Label
183 1 Ja
106 2 Nein, es war kein Termin für
mich verfügbar.
59 3 Nein, ich bin dazu noch nicht
berechtigt.
1,836 4 Nein, ich möchte mich aktuell
nicht impfen lassen.
333 5 Nein, aus anderen Gründen, und
zwar
1 .
1 .a no answer
2,358 .c filter: already vaccinated
10,529 .g filter: vaxed, response in prior
wave
16 .h filter: item-nonresponse whether
vaxed
29,771 .x not asked in this wave

```

```

-----
va6
Vaccination planned soon
-----

```

```

type: numeric (byte)
label: va6

```

```

range: [1,2] units: 1
unique values: 2 missing .: 2/45,193
unique mv codes: 7 missing .*: 44,693/45,193

```

```

tabulation: Freq. Numeric Label
201 1 Ja
297 2 Nein
2 .
2,358 .c filter: already vaccinated
183 .d filter: already scheduled
1,836 .e filter: not willing to vax
(presently)
10,529 .g filter: vaxed, response in prior
wave
16 .h filter: item-nonresponse whether
vaxed
29,771 .x not asked in this wave

```

va7_1
covid-infection

Reason for no vax: had

type: numeric (byte)
label: va7_1

range: [0,1] units: 1
unique values: 2 missing .: 2/45,193
unique mv codes: 8 missing .*: 43,063/45,193

tabulation:	Freq.	Numeric	Label
	1,517	0	not quoted
	611	1	quoted
	2	.	
	5	.a	no answer
	2,358	.c	filter: already vaccinated
	183	.d	filter: already scheduled
	201	.e	filter: planning to vax
	10,529	.g	
	16	.h	
	29,771	.x	not asked in this wave

va7_2
effectiveness

Reason for no vax: questions

type: numeric (byte)
label: va7_2

range: [0,1] units: 1
unique values: 2 missing .: 2/45,193
unique mv codes: 8 missing .*: 43,063/45,193

tabulation:	Freq.	Numeric	Label
	1,147	0	not quoted
	981	1	quoted
	2	.	
	5	.a	no answer
	2,358	.c	filter: already vaccinated
	183	.d	filter: already scheduled
	201	.e	filter: planning to vax
	10,529	.g	
	16	.h	
	29,771	.x	not asked in this wave

va7_3
fears side effects

Reason for no vax:

type: numeric (byte)
label: va7_3

range: [0,1] units: 1
unique values: 2 missing .: 2/45,193
unique mv codes: 8 missing .*: 43,063/45,193

tabulation:	Freq.	Numeric	Label
	980	0	not quoted
	1,148	1	quoted
	2	.	
	5	.a	no answer
	2,358	.c	filter: already vaccinated
	183	.d	filter: already scheduled
	201	.e	filter: planning to vax
	10,529	.g	
	16	.h	
	29,771	.x	not asked in this wave

va7_4
dangerous for me

Reason for no vax: covid not

type: numeric (byte)

label: va7_4
range: [0,1] units: 1
unique values: 2 missing .: 2/45,193
unique mv codes: 8 missing .*: 43,063/45,193

tabulation:	Freq.	Numeric	Label
	1,603	0	not quoted
	525	1	quoted
	2	.	
	5	.a	no answer
	2,358	.c	filter: already vaccinated
	183	.d	filter: already scheduled
	201	.e	filter: planning to vax
	10,529	.g	
	16	.h	
	29,771	.x	not asked in this wave

va7_5 Reason for no vax: prefers
natural/traditional remedies

type: numeric (byte)
label: va7_5
range: [0,1] units: 1
unique values: 2 missing .: 2/45,193
unique mv codes: 8 missing .*: 43,063/45,193

tabulation:	Freq.	Numeric	Label
	1,502	0	not quoted
	626	1	quoted
	2	.	
	5	.a	no answer
	2,358	.c	filter: already vaccinated
	183	.d	filter: already scheduled
	201	.e	filter: planning to vax
	10,529	.g	
	16	.h	
	29,771	.x	not asked in this wave

va7_6 Reason for no vax:
medical reasons

type: numeric (byte)
label: va7_6
range: [0,1] units: 1
unique values: 2 missing .: 2/45,193
unique mv codes: 8 missing .*: 43,063/45,193

tabulation:	Freq.	Numeric	Label
	2,035	0	not quoted
	93	1	quoted
	2	.	
	5	.a	no answer
	2,358	.c	filter: already vaccinated
	183	.d	filter: already scheduled
	201	.e	filter: planning to vax
	10,529	.g	
	16	.h	
	29,771	.x	not asked in this wave

va7_7 Reason for
no vax: Other

type: numeric (byte)
label: va7_7
range: [0,1] units: 1
unique values: 2 missing .: 2/45,193
unique mv codes: 8 missing .*: 43,063/45,193

tabulation:	Freq.	Numeric	Label
	1,674	0	not quoted
	454	1	quoted
	2	.	
	5	.a	no answer
	2,358	.c	filter: already vaccinated
	183	.d	filter: already scheduled
	201	.e	filter: planning to vax
	10,529	.g	
	16	.h	
	29,771	.x	not asked in this wave

va8
later this year

Intention to vax

type: numeric (byte)
label: va8
range: [1,5] units: 1
unique values: 5 missing .: 2/45,193
unique mv codes: 7 missing .*: 43,058/45,193

tabulation:	Freq.	Numeric	Label
	1,001	1	Nein, ganz bestimmt nicht
	613	2	Nein, eher nicht
	165	3	Ja, eher schon
	18	4	Ja, ganz sicher
	336	5	Weiss nicht
	2	.	
	2,358	.c	filter: already vaccinated
	183	.d	filter: already scheduled
	201	.e	filter: planning to vax
	10,529	.g	filter: vaxed, response in prior wave
	16	.h	filter: item-nonresponse whether vaxed
	29,771	.x	not asked in this wave

appl
COVID-App: use

type: numeric (byte)
label: appl, but 1 nonmissing value is not labeled
range: [1,5] units: 1
unique values: 5 missing .: 0/45,193
unique mv codes: 1 missing .*: 15,300/45,193

tabulation:	Freq.	Numeric	Label
	11,802	1	Ja, ständig
	2,219	2	Ja, aber manchmal schalte ich Bluetooth aus, um die Funktion der SwissCovid App
	742	3	Nein, aber ich plane Sie zu verwenden
	12,726	4	Nein
	2,404	5	
	15,300	.x	not asked in this wave

app2
(single choice)

COVID-App: reason for non-use

type: numeric (byte)
label: app2
range: [1,5] units: 1
unique values: 5 missing .: 0/45,193
unique mv codes: 3 missing .*: 29,334/45,193

tabulation:	Freq.	Numeric	Label
	355	1	Ich kenne die App nicht
	6,973	2	Ich denke nicht, dass die App

		für mich nützlich ist
2,393	3	Ich kann die App nicht installieren (z.B. wegen technischer Probleme, weil ich k
2,880	4	Ich fürchte um meine Privatsphäre und den Datenschutz
3,258	5	Andere Gründe:
13	.a	no answer
14,021	.c	filter: using app
15,300	.x	not asked in this wave

app3a
(single choice)

COVID-App: warning

type: numeric (byte)
label: app3a, but 1 nonmissing value is not labeled
range: [1,4] units: 1
unique values: 4 missing .: 0/45,193
unique mv codes: 2 missing .*: 42,395/45,193

tabulation:	Freq.	Numeric	Label
	2,744	1	Nein, ich hatte bisher keine Warnung
	35	2	Ja, ich habe die empfohlene Infoline SwissCovid angerufen
	10	3	
	9	4	Ja, aber ich habe keine weiteren Schritte unternommen
	3,245	.c	filter: not using app
	39,150	.x	not asked in this wave

app3b_1
(checkboxes): No

COVID-App warning

type: numeric (byte)
label: app3b_1
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 2 missing .*: 33,970/45,193

tabulation:	Freq.	Numeric	Label
	636	0	not quoted
	10,587	1	quoted
	12,627	.c	filter: not using app
	21,343	.x	not asked in this wave

app3b_2
called Infoline

COVID-App warning (checkboxes): Yes,

type: numeric (byte)
label: app3b_2
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 2 missing .*: 33,970/45,193

tabulation:	Freq.	Numeric	Label
	10,873	0	not quoted
	350	1	quoted
	12,627	.c	filter: not using app
	21,343	.x	not asked in this wave

app3b_5
tested for Covid

COVID-App warning (checkboxes): Yes,

type: numeric (byte)

label: app3b_5
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 2 missing .*: 33,970/45,193

tabulation:	Freq.	Numeric	Label
	10,953	0	not quoted
	270	1	quoted
	12,627	.c	filter: not using app
	21,343	.x	not asked in this wave

app3b_3 COVID-App warning (checkboxes): Yes,
other measures

type: numeric (byte)
label: app3b_3
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 2 missing .*: 33,970/45,193

tabulation:	Freq.	Numeric	Label
	11,153	0	not quoted
	70	1	quoted
	12,627	.c	filter: not using app
	21,343	.x	not asked in this wave

app3b_4 COVID-App warning (checkboxes): Yes, but no
measures taken

type: numeric (byte)
label: app3b_4
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 2 missing .*: 33,970/45,193

tabulation:	Freq.	Numeric	Label
	11,147	0	not quoted
	76	1	quoted
	12,627	.c	filter: not using app
	21,343	.x	not asked in this wave

app3b_6 COVID-App warning (checkboxes): Yes, filled in
SwissCovid form

type: numeric (byte)
label: app3b_6
range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 2 missing .*: 40,978/45,193

tabulation:	Freq.	Numeric	Label
	4,172	0	not quoted
	43	1	quoted
	5,455	.c	filter: not using app
	35,523	.x	not asked in this wave

app4 COVID-App: who
informed first

type: numeric (byte)
label: app4
range: [1,4] units: 1
unique values: 4 missing .: 0/45,193

unique mv codes: 2 missing .*: 45,099/45,193

tabulation:	Freq.	Numeric	Label
	51	1	von der SwissCovid-App
	24	2	von einem infizierten Verwandten oder Freund
	6	3	von einem Kontaktverfolger (z.B. einem Kantonsarzt)
	13	4	von jemand anderem, und zwar:
	9,576	.c	filter: no warning
	35,523	.x	not asked in this wave

hcl_1
(last 4 weeks)

Corona test

type: numeric (byte)
label: hcl_1
range: [1,2] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 1 missing .*: 14,683/45,193

tabulation:	Freq.	Numeric	Label
	4,274	1	Ja
	26,236	2	Nein
	14,683	.x	not asked in this wave

hcl_2
Corona test: result

type: numeric (byte)
label: hcl_2, but 1 nonmissing value is not labeled
range: [1,3] units: 1
unique values: 3 missing .: 0/45,193
unique mv codes: 3 missing .*: 40,920/45,193

tabulation:	Freq.	Numeric	Label
	637	1	positiv, d.h. es lag eine Infektion vor
	3,560	2	negativ, d.h. es lag keine Infektion vor
	76	3	
	1	.a	no answer
	26,236	.c	filter: no test
	14,683	.x	not asked in this wave

hc2
(last 4 weeks)

Quarantine

type: numeric (byte)
label: hc2
range: [1,2] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 1 missing .*: 16,507/45,193

tabulation:	Freq.	Numeric	Label
	1,304	1	Ja
	27,382	2	Nein
	16,507	.x	not asked in this wave

hc4_1
Corona-Symptome

Quarantine reason:

type: numeric (byte)
label: hc4_1

range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 3 missing .*: 43,891/45,193

tabulation:	Freq.	Numeric	Label
	773	0	not quoted
	529	1	quoted
	2	.a	no answer
	27,382	.c	filter: no quarantine
	16,507	.x	not asked in this wave

hc4_2 Quarantine reason:
Positives Testresultat

type: numeric (byte)
label: hc4_2

range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 3 missing .*: 43,891/45,193

tabulation:	Freq.	Numeric	Label
	728	0	not quoted
	574	1	quoted
	2	.a	no answer
	27,382	.c	filter: no quarantine
	16,507	.x	not asked in this wave

hc4_3 Quarantine reason:
Haushaltsmitglied positiv

type: numeric (byte)
label: hc4_3

range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 3 missing .*: 43,891/45,193

tabulation:	Freq.	Numeric	Label
	935	0	not quoted
	367	1	quoted
	2	.a	no answer
	27,382	.c	filter: no quarantine
	16,507	.x	not asked in this wave

hc4_4 Quarantine reason: Kontakt mit positiv
getesteter Person

type: numeric (byte)
label: hc4_4

range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 3 missing .*: 43,891/45,193

tabulation:	Freq.	Numeric	Label
	953	0	not quoted
	349	1	quoted
	2	.a	no answer
	27,382	.c	filter: no quarantine
	16,507	.x	not asked in this wave

hc4_5 Quarantine reason: Rückkehr
aus Risikogebiet

type: numeric (byte)
label: hc4_5

range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 3 missing .*: 43,891/45,193

tabulation:	Freq.	Numeric	Label
	1,265	0	not quoted
	37	1	quoted
	2	.a	no answer
	27,382	.c	filter: no quarantine
	16,507	.x	not asked in this wave

hc4_6 Quarantine
reason: Anderes

type: numeric (byte)
label: hc4_6

range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 3 missing .*: 43,891/45,193

tabulation:	Freq.	Numeric	Label
	1,167	0	not quoted
	135	1	quoted
	2	.a	no answer
	27,382	.c	filter: no quarantine
	16,507	.x	not asked in this wave

hc5_1 Quarantine initiator:
Health authorities

type: numeric (byte)
label: hc5_1

range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 3 missing .*: 43,894/45,193

tabulation:	Freq.	Numeric	Label
	631	0	not quoted
	668	1	quoted
	5	.a	no answer
	27,382	.c	filter: no quarantine
	16,507	.x	not asked in this wave

hc5_2 Quarantine
initiator: Arzt

type: numeric (byte)
label: hc5_2

range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 3 missing .*: 43,894/45,193

tabulation:	Freq.	Numeric	Label
	1,119	0	not quoted
	180	1	quoted
	5	.a	no answer
	27,382	.c	filter: no quarantine
	16,507	.x	not asked in this wave

hc5_3 Quarantine
initiator: Arbeitgeber

type: numeric (byte)
label: hc5_3

range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 3 missing .*: 43,894/45,193

tabulation:	Freq.	Numeric	Label
	1,192	0	not quoted
	107	1	quoted
	5	.a	no answer
	27,382	.c	filter: no quarantine
	16,507	.x	not asked in this wave

hc5_4 Quarantine
initator: Ich selbst

type: numeric (byte)
label: hc5_4

range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 3 missing .*: 43,894/45,193

tabulation:	Freq.	Numeric	Label
	713	0	not quoted
	586	1	quoted
	5	.a	no answer
	27,382	.c	filter: no quarantine
	16,507	.x	not asked in this wave

hc5_5 Quarantine
initator: Andere

type: numeric (byte)
label: hc5_5

range: [0,1] units: 1
unique values: 2 missing .: 0/45,193
unique mv codes: 3 missing .*: 43,894/45,193

tabulation:	Freq.	Numeric	Label
	1,194	0	not quoted
	105	1	quoted
	5	.a	no answer
	27,382	.c	filter: no quarantine
	16,507	.x	not asked in this wave

mu3_1
Trust: Print

type: numeric (byte)
label: mu3_1

range: [1,5] units: 1
unique values: 5 missing .: 0/45,193
unique mv codes: 3 missing .*: 23,995/45,193

tabulation:	Freq.	Numeric	Label
	1,607	1	Sehr wenig
	1,911	2	Wenig
	8,130	3	Mittelmässig
	8,251	4	Stark
	1,299	5	Sehr Stark
	36	.a	no answer
	3,333	.e	not asked (samplesplit)
	20,626	.x	not asked in this wave

mu3_2
Trust: SRF-Medien

type: numeric (byte)
label: mu3_2

range: [1,5] units: 1
unique values: 5 missing .: 0/45,193
unique mv codes: 3 missing .*: 23,978/45,193

tabulation:	Freq.	Numeric	Label
	1,345	1	Sehr wenig
	1,366	2	Wenig
	5,975	3	Mittelmässig
	10,014	4	Stark
	2,515	5	Sehr Stark
	19	.a	no answer
	3,333	.e	not asked (samplesplit)
	20,626	.x	not asked in this wave

mu3_3
private radio/TV

Trust:

type: numeric (byte)
label: mu3_3

range: [1,5] units: 1
unique values: 5 missing .: 0/45,193
unique mv codes: 3 missing .*: 24,017/45,193

tabulation:	Freq.	Numeric	Label
	2,112	1	Sehr wenig
	3,752	2	Wenig
	10,034	3	Mittelmässig
	4,758	4	Stark
	520	5	Sehr Stark
	58	.a	no answer
	3,333	.e	not asked (samplesplit)
	20,626	.x	not asked in this wave

mu3_4
Online News Sites

Trust:

type: numeric (byte)
label: mu3_4

range: [1,5] units: 1
unique values: 5 missing .: 0/45,193
unique mv codes: 3 missing .*: 24,013/45,193

tabulation:	Freq.	Numeric	Label
	3,131	1	Sehr wenig
	4,890	2	Wenig
	9,409	3	Mittelmässig
	3,352	4	Stark
	398	5	Sehr Stark
	54	.a	no answer
	3,333	.e	not asked (samplesplit)
	20,626	.x	not asked in this wave

mu3_5
Foreign media

Trust:

type: numeric (byte)
label: mu3_5

range: [1,5] units: 1
unique values: 5 missing .: 0/45,193
unique mv codes: 3 missing .*: 24,042/45,193

tabulation:	Freq.	Numeric	Label
	3,886	1	Sehr wenig
	5,959	2	Wenig
	8,894	3	Mittelmässig
	2,156	4	Stark

256 5 Sehr Stark
83 .a no answer
3,333 .e not asked (samplesplit)
20,626 .x not asked in this wave

mu3_6
alternative Online Media

Trust:

type: numeric (byte)
label: mu3_6
range: [1,5] units: 1
unique values: 5 missing .: 0/45,193
unique mv codes: 3 missing .*: 24,045/45,193

tabulation:	Freq.	Numeric	Label
	8,245	1	Sehr wenig
	7,275	2	Wenig
	4,869	3	Mittelmässig
	639	4	Stark
	120	5	Sehr Stark
	86	.a	no answer
	3,333	.e	not asked (samplesplit)
	20,626	.x	not asked in this wave

mu3_7
gouvernement (e.g. BAG)

Trust: Swiss

type: numeric (byte)
label: mu3_7
range: [1,5] units: 1
unique values: 5 missing .: 0/45,193
unique mv codes: 3 missing .*: 23,984/45,193

tabulation:	Freq.	Numeric	Label
	1,156	1	Sehr wenig
	1,244	2	Wenig
	4,477	3	Mittelmässig
	8,902	4	Stark
	5,430	5	Sehr Stark
	25	.a	no answer
	3,333	.e	not asked (samplesplit)
	20,626	.x	not asked in this wave

mu3_8
Foreign governments

Trust:

type: numeric (byte)
label: mu3_8
range: [1,5] units: 1
unique values: 5 missing .: 0/45,193
unique mv codes: 3 missing .*: 40,692/45,193

tabulation:	Freq.	Numeric	Label
	628	1	Sehr wenig
	827	2	Wenig
	1,959	3	Mittelmässig
	919	4	Stark
	168	5	Sehr Stark
	22	.a	no answer
	3,333	.e	not asked (samplesplit)
	37,337	.x	not asked in this wave

mu3_9
Trust: Science

```

type: numeric (byte)
label: mu3_9

range: [1,5] units: 1
unique values: 5 missing .: 0/45,193
unique mv codes: 3 missing .*: 23,998/45,193

```

```

tabulation: Freq. Numeric Label
              782      1 Sehr wenig
              1,156    2 Wenig
              5,249    3 Mittelmässig
              8,800    4 Stark
              5,208    5 Sehr Stark
                39     .a no answer
              3,333    .e not asked (samplesplit)
              20,626   .x not asked in this wave

```

```

-----
mul_1 Media use (days
last week): Print
-----

```

```

type: numeric (byte)
label: mul_1

range: [1,4] units: 1
unique values: 4 missing .: 0/45,193
unique mv codes: 3 missing .*: 40,678/45,193

```

```

tabulation: Freq. Numeric Label
              1,996    1 nie
                892    2 an 1 bis 2 Tagen
                451    3 an 3 bis 6 Tagen
              1,176    4 täglich
                 8     .a no answer
              3,333    .e not asked (samplesplit)
              37,337   .x not asked in this wave

```

```

-----
mul_2 Media use (days last
week): SRF-Medien
-----

```

```

type: numeric (byte)
label: mul_2

range: [1,4] units: 1
unique values: 4 missing .: 0/45,193
unique mv codes: 3 missing .*: 40,674/45,193

```

```

tabulation: Freq. Numeric Label
              606      1 nie
              967      2 an 1 bis 2 Tagen
              912      3 an 3 bis 6 Tagen
              2,034    4 täglich
                 4     .a no answer
              3,333    .e not asked (samplesplit)
              37,337   .x not asked in this wave

```

```

-----
mul_3 Media use (days last week):
private radio/TV
-----

```

```

type: numeric (byte)
label: mul_3

range: [1,4] units: 1
unique values: 4 missing .: 0/45,193
unique mv codes: 3 missing .*: 40,678/45,193

```

```

tabulation: Freq. Numeric Label
              1,695    1 nie
              989      2 an 1 bis 2 Tagen
              687      3 an 3 bis 6 Tagen
              1,144    4 täglich
                 8     .a no answer
              3,333    .e not asked (samplesplit)

```


37,337 .x not asked in this wave

mul_4 Media use (days last week):
Online News Sites

type: numeric (byte)
label: mul_4
range: [1,4] units: 1
unique values: 4 missing .: 0/45,193
unique mv codes: 3 missing .*: 40,678/45,193

tabulation:	Freq.	Numeric	Label
	1,122	1	nie
	873	2	an 1 bis 2 Tagen
	700	3	an 3 bis 6 Tagen
	1,820	4	taglich
	8	.a	no answer
	3,333	.e	not asked (samplesplit)
	37,337	.x	not asked in this wave

mul_5 Media use (days last week):
Foreign media

type: numeric (byte)
label: mul_5
range: [1,4] units: 1
unique values: 4 missing .: 0/45,193
unique mv codes: 3 missing .*: 40,679/45,193

tabulation:	Freq.	Numeric	Label
	2,570	1	nie
	996	2	an 1 bis 2 Tagen
	436	3	an 3 bis 6 Tagen
	512	4	taglich
	9	.a	no answer
	3,333	.e	not asked (samplesplit)
	37,337	.x	not asked in this wave

mul_6 Media use (days last week):
alternative Online Media

type: numeric (byte)
label: mul_6
range: [1,4] units: 1
unique values: 4 missing .: 0/45,193
unique mv codes: 3 missing .*: 40,681/45,193

tabulation:	Freq.	Numeric	Label
	2,791	1	nie
	853	2	an 1 bis 2 Tagen
	402	3	an 3 bis 6 Tagen
	466	4	taglich
	11	.a	no answer
	3,333	.e	not asked (samplesplit)
	37,337	.x	not asked in this wave

calib_weight
Calibration weight

type: numeric (int)
range: [628,10008] units: 1
unique values: 3,023 missing .: 0/45,193
mean: 3767.74

```
std. dev: 1448.27
percentiles:    10%    25%    50%    75%    90%
                1238    3082    3889    4633    5184
```

```
. quietly log close
```